PHILIPS Lighting



Halogen reflector

13631 250W GX5.3 24V 1CT/24

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

Product data

General Information			
Cap-Base	GX5.3 [GX5.3]		
Philips Code	13631		
ANSI Code	ELC-FA		
LIF Code	A1/259		
Operating Position	S90 [Standing +/-90D or Base Down (BDH)]		
Main Application	Projection		
Life to 50% Failures (Nom)	50 h		
Light Technical			
Luminous Flux (Rated) (Nom)	1500 lm		
Correlated Color Temperature (Nom)	3400 K		
Color Rendering Index (Nom)	100		
Operating and Electrical			
Power (Rated) (Nom)	250 W		


Voltage (Nom)	24 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Material	Quartz-UV Open
Reflector Finish	Facetted
Filament Dimensions WxH	-
Luminaire Design Requirements	
Bulb Temperature (Max)	900 °C
Pinch Temperature (Max)	400 °C
Working Distance WD	32 mm

Halogen reflector

Product Data		
Full product code	871150041075730	
Order product name	13631 250W GX5.3 24V 1CT/24	
EAN/UPC - Product	8711500410757	
Order code	924010520594	
Numerator - Quantity Per Pack	1	

Numerator - Packs per outer box	24
Material Nr. (12NC)	924010520594
Net Weight (Piece)	0.026 kg

Dimensional drawing



Product	D (max)	C (max)
13631 250W GX5.3 24V 1CT/24	50.67 mm	44.45 mm



© 2018 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2018, October 1 - data subject to change