



Finish : reflector

1	0833	2	0833	3	0000	4		5		6		7		8
SUPERSEDES 9245 323 44200 0833/000 p.190-1 Of 16/07/2004				HALOGEN LAMP INFRARED INDUSTRIAL REFLECTOR 13214Z/98 2000W 230V REFL						9245 323 44200 0833/000			15/11/2010	
REF. : PDM IRK 2010-053		DOCUMENTATION		UNIT mm	PROJ. EUROP 	2 SH		SH 190-1	10	SCA. 1	A4			
NAME : J.P. CHARLIER		VALIDATION : A. PICHARD			DR. FISCHER Europe									
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.														

PRODUCT REQUIREMENT SHEET

See LV 500-075-032

MEASURING VOLTAGE	230V (stabilisation 3 min.)
MEASURING POSITION	Horizontal
LIFE TEST POSITION	Horizontal
BURNING POSITION	P4
SWITCHING CYCLE	Continuous
AGEING	1h at rated voltage

	VALUE UNIT	TOLERANCE
WATTAGE	2000W	± 6 %
LIFE	5000 h	average
COLOR TEMPERATURE Clear lamp Lamp with reflector	2500 K 2400 K	± 100 K Indicative value
FLUX (HeLeN lamp)	NA	maxi
WEIGHT	78 g	

1	0833	2	0833	3	0000	4		5		6		7		8	
SUPERSEDES :		HALOGEN LAMP						9245 323 44200			15/11/2010				
9245 323 44200		INFRARED INDUSTRIAL REFLECTOR						0833/000							
0833/000 p. 190-2		13214Z/98 2000W 230V REFL													
Of 16/07/2004		REF. : PDM IRK 2010-053		DOCUMENTATION		UNIT mm	PROJ EUROP	2	SH	SH	190-2	10		A4	
NOM : J.P. CHARLIER		VALIDATION : A. PICHARD						DR. FISCHER Europe							
All rights reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner.															